# **Frequent Tasks**

When logged in to registry.awi.de all of your items are listed under 'My Devices'. The rightmost column of the summary table offers a set of tools to the users.



### **Clone Items**



Existing items can serve as a blue print for multiple other items.

By ticking/unticking several attributes you can choose what is shared with the new items. There is a limit to 50 clones. If you need more than this you mave to repeat the step. Short names and long names must be set individually per clone.

Clone SST_CT	D_1420				×
Please select the pro	operties from SST_CTD_1420 which you want to	clon	e!		
Contacts:	Contacts:		Actions:		
Parameters:			Resourc	95:	
Properties:			Position		
Children / Sub Dev	ices:				
Number of Clones:					
1					~
Please be aware th this represents a pr	nat once a sensor has been saved, one is only allowe roblem for you, please contact o2a-support@awi.de	ed to	change its	long name. Changes in the short name are not allowed. In c	ase
Number	Short name			Long name	
1					
				Clone	ancel
one form					

#### Edit Items



Clicking on 'Edit' allows you to go in editing mode. All fields except for short names (item and parameter) can be altered then.

#### **Delete Items**



Items can only be deleted by its editors if there are no versions of past states available (see 'History and Citing' at https://spaces.awi.de/x/zYa0FQ). If there are versions available they could be referenced in any kind of publication, thus deletion is neglected. If the editors are absolutely sure there is no publication that cites the former version of this item a request for deletion can be send to o2a-support@awi.de.

## **Reassign Items**



Moving items from on parental device to another is called reassignment. By clicking the process is started. You can select multiple items for reassignment, the candidates then are listed to the right. If the selection is finished press 'Find new parent'.

Reassign Candidates	Reassign Candidates		
SST_CTD_183 C	SST_CTD_183 O		
Find new parentCancelAdd as much items as you like, then click the "Find new parent" button to search a new parent.	Cancel Find new parent Cancel Use the search to find the item that should become the new parent. Then click the reassign button in the item.		
List of reassign candidates	Ready to choose new parental item		

When a target is chosen mount and unmount dates must be specified. The **Unmount Date** is the removal from the former parental item, the **Mount Date** refers to the new parent. Thus, the Unmount Date needs to be older than or at least the same date and time as the Mount Date.

Normally when reassigning an item a new version of it is created (see 'History and Citing' at https://spaces.awi.de/x/2Ya0FQ). For whatever reason it is also possible to reassign an item without triggering a new version. Please use this feature with care, because in other parts of the O2A process chain this might get relevant (see the DWS part at https://spaces.awi.de/x/0oa0FQ).

Reassign Summary		×
Reassigning an item without creating a version in publications. Those Actions will be called "Unmounted %de Please enter the particular unmounting and m	i will of course neither produce a version, nor a handle and therefore the item's version will not be cital vice%" and "Mounted %device%". ounting dates below.	able
SST_CTD_183	Mount date:	
	Reassign without version Reassign Ca	ancel
assign summary		

## Creating new Items



New items can be created (after logging in) either via 'Create Item' in the header or directly as a child item via

Either way, the form is the same. While 'short name' and 'long name' are the only mandatory fields in the form, we strongly recommend to describe your items as thoroughly as possible.

Create new Item	* Crer	ate new item		
Please the server that once a sensor has been raised, one is only allowed to change to long name. Changes in the abort name are not allowed. In case this represents a problem for you, please contact city-support/plead de		Please be seen that once a sensor has been saved, one is only allowed to change its long name. Changes is the short name are not allowed. In case this represents a problem for you, please contact cide support@ven.de		
After creating a litern you will get relocated to "Nily Devices"		ter creating a item you will get	CTD current meter	
State: Canabaday Public Scot	0.0	Auc.	care no proven dela logger denice care	
Paner	Par	997.	delectric probe	
Parent D:	Par	ent D:	Differential Optical Reception Spectrometers devalued engen server	
Start saw?		ot name*:	distributed temperature server Decky	
Long name*:	Log	ng name <sup>4</sup> :	Defor Def	
Descriptor:	0.0	eciplian:	en la saurale Bengton	
Serial number:	541	ial number:	Fish Net Rohing gaar	
Manufacture	the state	nataceuree	faut Scenator	
Nedel:	Red	det:	fluorescence Semior fluorescence	
Types. Accelerativelet Piccos contect 126 segmet@ead.de for adding new splices in this news.	- Type	-	accelerander Piezer onder da br addeg neu spilen in bis men.	
Asset Number:	Ann	wei Number:		
Facts mailed all? <sup>4</sup> are manifelitry	Family	mahari niti * an mantatory		
	Seve Cancel		Save Carcol	

For naming conventions please refer to the section 'Short names and URN syntax' here: https://spaces.awi.de/x/zYa0FQ. There you can also find a list of all available item types.

When in doubt or something is missing to your opinion, please send a support request to o2a-support@awi.de or ask the chief editors of your project.

## Move to Parent

When an item is part of another one by clicking tab 'Subdevices' (https://spaces.awi.de/x/3oa0FQ).

the view is shifted to the parent item. The complete tree of concatenated items can be seen in the